


1/4" 3/8" 3/4"

TWILL POIS MARINIÈRE LIGNES

CARRIÈRE DU KRONOS

NAMUR GENT BRUGES





KRONOS
CERAMICHE




MAXIMUM VERSATILITY

Forward thinking, experience, unique appeal. Every uneven detail becomes a unique character, every difference has a key role to play, every piece is different from the others in terms of pattern and nuance. With a wide choice of sizes, thicknesses, edges, surfaces, finishes and textures, Carrière du kronos offers the opportunity to create living spaces with a truly personal touch. Developing the "made by bespoke" concept, kronos also offers the chance to complete projects with pool edges, steps, wash basins, shelves, and other special pieces.



NOBLE APPEARANCE



Elegant appearance,
a smooth surface,
a delicate surface pattern
natural effect,
a straight edge,
V2 shading

BRUGES




GENT



NAMUR



ANCIENT APPEARANCE



Rustic appearance such as
resembling stone, highly evident surface
pattern, with typical wear, antique limestone
residual and vintage edge,
V3 shading

BRUGES



GENT



NAMUR



CARRIERE DU KRONOS



P.08

MATERIAL,
TANGIBLE,
INTENSE




P.26

ESSENTIAL,
LINEAR,
CONTEMPORARY


Rough, contrasting, full-bodied spaces eternally walking the line between inside and outside.

LUXE RAW















CARRIERE DU KRONOS FLOOR: NAMUR modulo vintage 32"x32" - 20"x32" - 24"x24" - 12"x32"





LESS IS MORE

CARRIERE DU KRONOS

l e s s
i s
m o r e

LESS IS MORE

Spaces reduced to the essential where materials play the key role.







CARRIERE DU KRONOS FLOOR: NAMUR 2.0 8"x8" / 8"x12" vintage GENT 2.0 24"x24" anticato rett.






CARRIERE DU KRONOS RECEPTION DESK: NAMUR rett. VOLUME: NAMUR - NAMUR LIGNES rett. BENCH: NAMUR - NAMUR LIGNES rett.
 PRIMA MATERIA FLOOR: CENERE rett. 48"x48" WALL: CENERE rett. 48"x96"



LESS IS MORE



CARRIERE DU KRONOS VOLUME: NAMUR - NAMUR LIGNES rett. BENCH: NAMUR - NAMUR LIGNES rett.







CARRIERE DU KRONOS FLOOR: BRUGES 2.0 24" x 24" anticato rett. WALL: WOODSIDE NUT 2.0 12" x 96" rett.







CARRIERE DU KRONOS FLOOR: BRUGES lappato rett. 48" x 96" WALL: BRUGES rett. 48" x 96" STAIR & LANDING BRUGES rett. 48" x 96"



LESS IS MORE



CARRIERE DU KRONOS

FLOOR: BRUGES lappato rett. 48"x96"

WALL: BRUGES rett. 48"x96"

STAIR & LANDING BRUGES rett. 48"x96"



LESS IS MORE



LESS IS MORE



CARRIERE DU KRONOS WALL & TOP: GENT 48"x96" lappato rett.



CARRIERE DU KRONOS FLOOR: GENT 32"x32" lappato rett.





LESS IS MORE



CARRIERE DU KRONOS FLOOR: GENT 48" x 48" rett. WALL: GENT 48" x 96" - MOSAICO EXA GENT rett. WASHBASIN & SHELF: GENT rett.



CARRIERE DU KRONOS WALL: GENT 48"x96" - MOSAICO EXA GENT rett. WASHBASIN & SHELF: GENT rett.



LESS IS MORE

CARRIERE DU KRONOS FLOOR: GENT 48"x48" rett. WALL: MOSAICO EXA GENT rett. WASHBASIN & SHELF: GENT rett.



LESS IS MORE







CARRIERE DU KRONOS FLOOR: GENT rett. 48"x48" WALL: GENT rett. 48"x96"







LESS IS MORE

CARRIERE DU KRONOS

NOBLE APPEARANCE



ANCIENT APPEARANCE
ANTIQUE EDGE
VINTAGE EDGE




NAMUR




NOBLE APPEARANCE

 1/4"




48"x96" NAMUR
8452 | rett.
8454 | lapp. rett.

 3/8"



48"x48" NAMUR
8456 | rett.
8458 | lapp. rett.



32"x72" NAMUR
8401 | rett.
8403 | lapp. rett.



24"x48" NAMUR
8411 | rett.
8413 | lapp. rett.
8440 | grip rett.

SPECIAL PIECES



2"x24" BATT. NAMUR
8481

GRAPHIC MOVEMENT





3/8"

ANTIQUE EDGE



32"x32" NAMUR
8406 | rett.
8408 | lapp. rett.



16"x32" NAMUR
8512 | rett.
8515 | lapp. rett.




24"x24" NAMUR
8421 | nat.
8505 | grip




8"x8" NAMUR
8444 | rett.
8447 | grip

24"x24" NAMUR
8426 | rett.
8428 | lapp. rett.
8508 | grip rett.


VINTAGE EDGE



32"x32" NAMUR
8434 | rett.
8475 | lapp. rett.




24"x24" NAMUR
8431 | rett.
8472 | lapp. rett.




MODULO NAMUR
Nr. 1 - 20"x32" 62,5%
Nr. 1 - 12"x32" 37,5%
8437 | -
8478 | lapp.


TEXTURES




24"x48" NAMUR TWILL
8466 | rett.



24"x48" NAMUR MARINIERE
8469 | rett.



24"x48 NAMUR POIS
8468 | rett.



24"x48" NAMUR LIGNES
8470 | rett.


STRAIGHT EDGE




12"x12" tessere 1"x1,2"
TRAMA NAMUR mos.
8487



6"x24" tessere
MUROTTTO NAMUR
8490



12"x12" tessere
EXA NAMUR mosaico
8518




2"x16" NAMUR TEXTURE MIX
8531



3/4"

SKE2.0

ANTIQUE EDGE



32"x32" NAMUR 2.0
8375 | ant. rett.



24"x24" NAMUR 2.0
8355 | ant. rett.



8"x8" NAMUR 2.0
9500



8"x12" NAMUR 2.0
9505

VINTAGE



MOSAICO EXA NAMUR 12"x12"




GENT




NOBLE APPEARANCE

 1/4"




48"x96" GENT
8453 | rett.
8455 | lapp. rett.

 3/8"



48"x48" GENT
8457 | rett.
8459 | lapp. rett.



32"x72" GENT
8402 | rett.
8404 | lapp. rett.



24"x48" GENT
8412 | rett.
8414 | lapp. rett.
8442 | grip rett.

SPECIAL PIECES



2"x24" BATT. GENT
8482

GRAPHIC MOVEMENT




GENT

ANCIENT APPEARANCE



ANTIQUE EDGE



32"x32" GENT
8407 | rett.
8409 | lapp. rett.



16"x32" GENT
8513 | rett.
8516 | lapp. rett.




24"x24" GENT
8422 | nat.
8506 | grip
8427 | rett.
8429 | lapp. rett.
8509 | grip rett.




8"x8" GENT
8445 | rett.
8448 | grip


VINTAGE EDGE



32"x32" GENT
8435 | rett.
8476 | lapp. rett.




24"x24" GENT
8432 | rett.
8473 | lapp. rett.



MODULO GENT
Nr. 1 - 20"x32" 62,5%
Nr. 1 - 12"x32" 37,5%
8438 | -
8479 | lapp.


TEXTURES




24"x48" GENT TWILL
8493 | rett.



24"x48" GENT MARINIERE
8495 | rett.



24"x48" GENT POIS
8494 | rett.



24"x48" GENT LIGNES
8496 | rett.

STRAIGHT EDGE


MOSAICS



12"x12" tessera 1"x1,2"
TRAMA GENT mos.
8488



6"x24"
MUROTTO GENT
8491




12"x12"
EXA GENT mosaico
8519



2"x16" GENT TEXTURE MIX
8532



ANTIQUE EDGE



32"x32" GENT 2.0
8376 | ant. rett.



24"x24" GENT 2.0
8356 | ant. rett.



8"x8" GENT 2.0
9501



8"x12" GENT 2.0
9506

VINTAGE



TRAMA GENT 12"x12"




BRUGES




NOBLE APPEARANCE

 1/4"




48"x96" BRUGES
8462 | rett.
8463 | lapp. rett.

 3/8"



48"x48" BRUGES
8464 | rett.
8465 | lapp. rett.



32"x72" BRUGES
8416 | rett.
8405 | lapp. rett.



24"x48" BRUGES
8424 | rett.
8415 | lapp. rett.
8443 | grip rett.

SPECIAL PIECES



2"x24" BATT. BRUGES
8483

GRAPHIC MOVEMENT





ANTIQUE EDGE



32"x32" BRUGES
8417 | rett.
8418 | lapp. rett.



16"x32" BRUGES
8514 | rett.
8517 | lapp. rett.




24"x24" BRUGES
8423 | nat.
8507 | grip
8425 | rett.
8419 | lapp. rett.
8511 | grip rett.



8"x8" BRUGES
8446 | rett.
8449 | grip

VINTAGE EDGE



32"x32" BRUGES
8436 | rett.
8477 | lapp. rett.




24"x24" BRUGES
8433 | rett.
8474 | lapp. rett.



MODULO BRUGES
Nr. 1 - 20"x32" 62,5%
Nr. 1 - 12"x32" 37,5%
8439 | -
8480 | lapp.


TEXTURES




24"x48" BRUGES TWILL
8497 | rett.



24"x48" BRUGES MARINIERE
8499 | rett.



24"x48" BRUGES POIS
8498 | rett.



24"x48" BRUGES LIGNES
8501 | rett.


STRAIGHT EDGE



12"x12" tessere 1"x1,2"
TRAMA BRUGES mos.
8489



6"x24"
MUROTTO BRUGES
8492




12"x12"
EXA BRUGES mosaico
8521



2"x16" BRUGES TEXTURE MIX
8533



ANTIQUE EDGE



32"x32" BRUGES 2.0
8377 | ant. rett.



24"x24" BRUGES 2.0
8357 | ant. rett.



8"x8" BRUGES 2.0
9502



8"x12" BRUGES 2.0
9507

VINTAGE




MUROTTO BRUGES 6"x24"



LAYING SETTINGS

 3/8"



SCHEMA DI POSA 3 FORMATI
Nr. 2 - 24"x24" 43%
Nr. 1 - 16"x32" 19%
Nr. 1 - 32"x32" 38%
PAG. 36




 3/8"



SCHEMA DI POSA 4 FORMATI
Nr. 1 - 32"x32" 19,04%
Nr. 2 - 20"x32" 23,81
Nr. 4 - 24"x24" 42,86%
Nr. 2 - 12"x32" 14,28%
PAG. 21



 3/4"



SCHEMA DI POSA 2 FORMATI
Nr. 1 - 8"x8" 40%
Nr. 1 - 8"x12" 60%
PAG. 28





SIZES		8"x8"	8"x8"	8"x8"	8"x12"	24"x24"	24"x24"	16"x32"	32"x32"	24"x48"	32"x72"	48"x48"	48"x96"
FINISHING	NATURAL	●			●	●	●	●	●	●	●	●	●
	HONED					●		●	●	●	●	●	●
	GRIP R11	●	●		●	●	●			●			
EDGE	STRAIGHT RECT.									●	●	●	●
	STRAIGHT NON RECTIFIED												
	ANTIQUE RECT.	●				●		●	●				
	ANTIQUE NON RECTIFIED		●				●						
	VINTAGE			●	●	●			●				
SURFACE	ANTIQUE	●	●			●	●	●	●				
	SMOOTH									●	●	●	●
THICKNESS	1/4"											●	●
	3/8"	●	●			●	●	●	●	●	●		
	3/4"			●	●								
	GRIP ANTIQUE												
	3/4"					●			●				
SHADING	V2 slight variation									●	●	●	●
	V3 moderate variation	●	●		●	●	●	●	●				

CARRIERE DU KRONOS

PACKAGING

CARRIERE DU KRONOS	Thickness	Pezzi per scatola	M² per scatola	Kg per scatola	Scatole per pallet	M² per pallet	KG per pallet
120x240	6	1	2,88	40,00	20	57,60	820
120x120	6	2	2,88	42,00	24	69,12	1.028
80x180	10	2	2,88	67,00	20	57,60	1.360
60x120	10	2	1,44	33,50	30	43,20	1.025
80x80	10	2	1,28	30,00	40	51,20	1.220
40x80	10	3	0,96	22,00	56	53,76	1.352
60,8x60,8	10	3	1,11	25,00	40	44,40	1.020
60x60	10	3	1,08	23,50	40	43,20	960
20,3x20,3	10	24	0,96	21,70	54	51,84	1.191,8
20x20	10	24	0,96	20,70	54	51,84	1.137,8
60x60 twill/pois/mariniere/lignes	10	2	1,44	33,00	-	-	-
30x30 mosaico 2,6x3	10	10	0,90	17,50	30	27,00	545
25,5x29,5 mosaico	10	10	0,76	19,00	30	22,80	590
15x60 murotto	10	12	1,08	20,50	30	32,40	635
5x40 texture mix	10	25	0,50	11,00	72	36,00	812
80x80	20	2	1,28	58,50	24	30,72	1.424
60x60	20	2	0,72	33,00	30	21,60	990
20,2x20,2	20	12	0,49	22,50	54	26,46	1.235
20,2x30,4	20	7	0,43	20,00	60	25,80	1.220

SHADE VARIATION

V1
uniform appearance

V2
slight variation

V3
moderate variation

V4
substantial variation

NOBLE APPEARANCE

ANCIENT APPEARANCE

CHARACTERISTICS OR PROPERTIES	STANDARDS	COMPLIANCE WITH STANDARDS				
SURFACE QUALITY	ISO 10545-2	AT LEAST 95% OF THE TILES MUST BE FREE FROM VISIBLE FLAWS			COMPLIES WITH STANDARD	
		N ≥ 15cm %	N ≥ 15cm mm	TEST RESULTS	COMPLIES WITH STANDARD	
		± 0,5 %	± 1,5 mm	± 0,10%	COMPLIES WITH STANDARD	
		± 0,5 %	± 0,5 mm	± 5%	COMPLIES WITH STANDARD	
		± 0,5 %	± 2,0 mm	± 0,20%	COMPLIES WITH STANDARD	
		± 0,5 %	± 2,0 mm	± 0,35%	COMPLIES WITH STANDARD	
		± 0,6 %	± 2,0 mm	± 0,15%	COMPLIES WITH STANDARD	
		MAXIMUM STRAIGHTNESS DEVIATION IN %				
ADMITTED DEVIATION, IN %, OF THE AVERAGE THICKNESS OF EACH TILE FROM THE PRODUCTION DIMENSIONS						
MAXIMUM RIGHT-ANGLE DEVIATION IN %						
FLATNESS						
LENGTH AND WIDTH						
WATER ABSORPTION	ISO 10545-3	≤ 0,5 %			E < = 0,04 %	
BENDING STRENGTH	ISO 10545-4	R ≥ 35 N/mm²			53 N/mm²	
IMPACT RESISTANCE	ISO 10545-5	DECLARED VALUE			0,88	
RESISTANCE TO DEEP ABRASION	ISO 10545-6	≤175 mm³			<128 mm³	
COEFFICIENT OF LINEAR	ISO 10545-8	-			α=7x10 ⁻⁶ /°C ⁻¹	
THERMAL SHOCK RESISTANCE	ISO 10545-9	ACCORDING EN ISO 10545-1 - TEST OBTENUS			NO DAMAGE	
FROST RESISTANCE	ISO 10545-12	ACCORDING EN ISO 10545-1 - TEST OBTENUS			NO DAMAGE	
CHEMICAL RESISTANCE	ISO 10545-13	UB MIN.			UA ULA UHA	
RESISTANCE TO STAIN	ISO 10545-14	DECLARED VALUE			Classe 5	
FIRE RESISTANCE	EN 13501 - 1	DECLARED VALUE			CLASSE A1 - A1 FL	
SLIP RESISTANCE				NAT	GRIP	SKE2.0
	B.C.R. C.A. B.C.R. G.B D. M. 236 DEL 4.6 1989	> 0,40		CONF	CONF	CONF
	ASTM C 1028/07 BOT 3000	Dry SCOF > 0,60		CONF	CONF	CONF
	ASTM C 1028/07 BOT 3000	Wet SCOF > 0,60		CONF	CONF	CONF
	ANSI A137.1 BOT 3000	Wet DCOF > 0,42		CONF	CONF	CONF
	DIN 51130	-		R10	R11	R11
	DIN 51097	-		A	A+B+C	A+B+C
	ENV 12633	≥ CL 1		CONF	CONF	CONF
	UNI EN 13036 - 4 2011	≥ 36		CONF	CONF	CONF
COLOUR STABILITY ON EXPOSURE TO LIGHT AND UV RAYS	DIN 51094	DECLARED VALUE			COMPLIES WITH STANDARD, NO VARIATION	
STATIC LOAD	EN 12825	DECLARED VALUE			CENTRE POINT OF SIDES 6,5 KN	
DYMANIC LAOD CAPACITY, HAND	EN 12825	DECLARED VALUE			TEST NOT PASSED	
DYMANIC LAOD CAPACITY, SOFT OBJECT IMPACT TEST C. STATIQUE	EN 12825	DECLARED VALUE			TEST PASSED	
BENDIND STRENGTH, BREAKING FORCE IN N	EN 1339	Kn 14,38			CLASSE U14	
BREAKING FORCE IN MPA		-			MPA 46,5	

HINTEX

Exclusively on

www.hintex.com/kronos



www.hintex.com

+1 (844) 404-0440 | info@hintex.com

