

PRIMA MATERIA

CONCRETE . PATTERN . TEXTURE




KRONOS
CERAMICHE

C E M E N T O

S A N D A L O

C E N E R E

S P E S S O R E T H I C K N E S S 3 / 8 " "

32"x72"

32"x32"

16"x32"

8"x32"

24"x48"

8"x48"

24"x24"

24"x48" Esagono

24"x48" Lisca

2 mosaici 3D

S P E S S O R E T H I C K N E S S 3 / 4 " "

32"x72"

32"x32"

16"x48"


8"x48"

24"x24"

SKE2.0

PRIMA MATERIA

CONCRETE . PATTERN . TEXTURE



Prima Materia develops the material suggestions of the concrete surfaces for differentiated and creative solutions for indoor and outdoor, public and residential areas.

3 neutral colours, three styles: natural, smooth and grip to personalize a complete, extraordinarily well-matched project. Homogeneous floor backgrounds, hexagon and fishbone patterns for interior covering and also a marked sensitivity for the outdoor use with 3/4" thickness floor and the new 3D walls.

Prima Materia defines a new style of living in which every element finds the right balance.

CERATO

NATURALE

GRIP

PRIMA
MATERIA

CONCRETE . PATTERN . TEXTURE

SKE2.0

3/4"

No 1

CEMENTO

SOGGIORNO - LIVING	09
CUCINA - KITCHEN	14
BAGNO - BATHROOM	18
SOGGIORNO - LIVING	22
CUCINA - KITCHEN	24
SOGGIORNO - LIVING	28
BAGNO - BATHROOM	44
ESTERNO - OUTDOOR	48
PISCINA - POOL	52
ESTERNO - OUTDOOR	60

CENERE


SCALE - STAIRS	30
BAGNO - BATHROOM	34
ESTERNO - OUTDOOR	56

SANDALO

BAGNO - BATHROOM	38
BAGNO - BATHROOM	40
BORDO PISCINA - POOL EDGES	54

HOME






floor/wall: 32"x72" CEMENTO rett.





floor: 32"x72" CEMENTO rett.



floor: 32"x32" CEMENTO rett.
 wall: 24"x48" CEMENTO esagono







wall: 24"x48" CEMENTO esagono

floor: 24"x24" CEMENTO rett.

wall: 32"x72" CEMENTO rett. - 24"x48" CEMENTO liscio





floor: 24"x24" CEMENTO rett.

wall: 32"x72" CEMENTO rett. - 24"x48" CEMENTO liscio




floor: 48"x48" CEMENTO rett.

wall: 48"x96" TALCO rett.



floor: 48"x48" Prima Materia Cemento Rett.
 shutter: Talco Rett.
 top: Talco Rett.






floor: 48"x48" Prima Materia Cemento Rett.
shutter: Talco Rett.
top/banch: Talco Rett.



floor: 48"x48" Prima Materia Cemento Rett.
wall: 48"x96" Talco Rett.





floor: 32"x72" CENERE rett.
step: CENERE





floor: 32"x72" CENERE rett.

step: CENERE



floor: 24"x24" CENERE rett.

wall: 24"x48" CENERE cerato rett. - 24"x48" TALCO - 24"x48" SETE TALCO rombi




wall: 24"x48" CENERE cerato rett. - 24"x48" SETE TALCO rombi



floor: 48"x48" Prima Materia Sandalo Rett.

wall: 48"x96" Talco Rett.





floor: 24"x24" SANDALO rett.

wall: 24"x48", 12"x48" TALCO - 24"x48" SETE TALCO dégradé



floor: 24"x24" SANDALO rett.

wall: 24"x48", 12"x48" TALCO - 24"x48" SETE TALCO dégradé





floor: 32"x32" CEMENTO rett.

wall: 8"x32" CEMENTO rett. - 24"x48" SETE TALCO linee


top : CEMENTO




floor: 32"x32" CEMENTO rett.

wall: 24"x48" SETE TALCO linee


top : CEMENTO





floor: 16"x48", 8"x48" CEMENTO 2.0

wall: 12"x48" CEMENTO sunset 3d











floor: 24"x24" CEMENTO 2.0
pool edges: SANDALO

EXTERNAL ELEVATED WATER LEVEL WITH
WATER FALL EDGE






floor, wall and stairway: 16"x48" CENERE 2.0



floor, wall and stairway: 16"x48" CENERE 2.0





floor: 32"x32" CENERE 2.0



No_2

PUBBLIC

CENERE - SANDALO
HOTEL

51

SANDALO
RISTORANTE - RESTAURANT

58







floor/bench: 32"x72" CENERE cerato rett.
desk: SANDALO
wall: 12"x12" SANDALO muro 3d



floor/bench: 32"x72" CENERE cerato rett.
desk: SANDALO



wall: 12"x12" SANDALO muro 3d







floor: 24"x24" SANDALO 2.0
 wall: 12"x48" SANDALO sunset 3D




No 1 CEMENTO

SPESSORE / THICKNESS 3/8"



8100 CEMENTO rett.
8105 CEMENTO cerato rett.




8110 CEMENTO rett.
8115 CEMENTO cerato rett.

16"x32"



8120 CEMENTO rett.
8130 CEMENTO cerato rett.
8135 CEMENTO grip rett.

8"x32"



8175 CEMENTO rett.
8180 CEMENTO cerato rett.




2"x24" BATTISCOPA
8185 CEMENTO

24"x48"



8140 CEMENTO rett.
8150 CEMENTO cerato rett.
8155 CEMENTO grip rett.

8"x48"



8160 CEMENTO rett.
8165 CEMENTO cerato rett.
8170 CEMENTO grip rett.

24"x24"



8231 CEMENTO rett.
8236 CEMENTO cerato rett.
8241 CEMENTO grip rett.


SKE2.0 SPESSORE / THICKNESS 3/4"

16"x48"



8095 CEMENTO 2.0

8"x48"



8090 CEMENTO 2.0

24"x24"



8062 CEMENTO 2.0

32"x32"



8075 CEMENTO 2.0

32"x72"



8038 CEMENTO 2.0

MAXI

SPESSORE / THICKNESS 1/4"

48"x96"



8127 CEMENTO rett.

48"x48"



8144 CEMENTO rett.



24"x48"




8206 CEMENTO
ESAGONO

24"x48"



8211 CEMENTO
LISCA

MOSAICO




12"x12" tessere
mix 1,2"x1,2"
8195 CEMENTO




8"x16" stick mix
tessere 1,1"x16"
8201 CEMENTO

MURO 3D



12"x12" mosaico muro 3d
8190 CEMENTO

SUNSET 3D




12"x48" sunset 3d
8221 CEMENTO

No 2 CENERE

SPESSORE / THICKNESS 3/8"



8101 CENERE rett.
8106 CENERE cerato rett.



8111 CENERE rett.
8116 CENERE cerato rett.



8121 CENERE rett.
8131 CENERE cerato rett.
8136 CENERE grip rett.




8176 CENERE rett.
8181 CENERE cerato rett.




2"x24" BATTISCOPA
8186 CENERE



8141 CENERE rett.
8151 CENERE cerato rett.
8156 CENERE grip rett.



8161 CENERE rett.
8166 CENERE cerato rett.
8171 CENERE grip rett.



8232 CENERE rett.
8237 CENERE cerato rett.
8242 CENERE grip rett.

SKE2.0 SPESSORE / THICKNESS 3/4"



8096 CENERE 2.0



8091 CENERE 2.0




8063 CENERE 2.0

MAXI

SPESSORE / THICKNESS 1/4"



8128 CENERE rett.



8145 CENERE rett.



24"x48"



8207 CENERE
ESAGONO

24"x48"



8212 CENERE
LISCA

MOSAICO



12"x12" tessere
mix 1,2"x1,2"
8196 CENERE



8"x16" stick mix
tessere 1,1"x16"
8202 CENERE

MURO 3D



12"x12" mosaico muro 3d
8191 CENERE


SUNSET 3D




12"x48" sunset 3d
8222 CENERE

No 3 SANDALO

SPESSORE / THICKNESS 3/8"




8103 SANDALO rett.
8108 SANDALO cerato rett.



8113 SANDALO rett.
8118 SANDALO cerato rett.



8123 SANDALO rett.
8133 SANDALO cerato rett.
8138 SANDALO grip rett.




8177 SANDALO rett.
8182 SANDALO cerato rett.



2"x24" BATTISCOPA
8188 SANDALO



8143 SANDALO rett.
8153 SANDALO cerato rett.
8158 SANDALO grip rett.



8163 SANDALO rett.
8168 SANDALO cerato rett.
8173 SANDALO grip rett.




8233 SANDALO rett.
8238 SANDALO cerato rett.
8243 SANDALO grip rett.

SKE2.0



8098 SANDALO 2.0



8093 SANDALO 2.0



8064 SANDALO 2.0



8077 SANDALO 2.0

MAXI

SPESSORE / THICKNESS 1/4"




8129 SANDALO rett.



8146 SANDALO rett.



24"x48"



8209 SANDALO
ESAGONO

24"x48"



8214 SANDALO
LISCA

MOSAICO



12"x12" tessere
mix 1,2"x1,2"
8198 SANDALO



8"x16" stick mix
tessere 1,2"x16"
8204 SANDALO

MURO 3D




12"x12" mosaico muro 3d
8193 SANDALO

SUNSET 3D



12"x48" sunset 3d
8224 SANDALO


MURO 3D



12"x12" mosaico muro 3d



SCHEMA DI POSA A



SCHEMA DI POSA B



SUNSET 3D



12"x48" sunset 3d



TALCO


SPESSORE / THICKNESS 3/8"

24"x48" 12"x48"



4251 TALCO 4252 TALCO

12"x12"



tessere 0,8"x0,8" tessere 0,8"x1,6"
4256 TALCO 4257 TALCO

6"x48"



tessere 0,8"x48"
4258 TALCO

24"x48"



4255 TALCO DÉGRADÉ

24"x48"



4254 TALCO LINEE

24"x48"



4259 TALCO ROMBI

MAXI

SPESSORE / THICKNESS 1/4"

48"x96" 48"x48"




4273 TALCO rett. 4274 TALCO rett.

TALCO

DÉGRADÉ

LINEE



ROMBI

PRIMA
MATERIA



PACKAGING

PRIMA MATERIA	Thickness	Pezzi per scatola	M² per scatola	Kg per scatola	Scatole per pallet	M² per pallet	KG per pallet
24"x48"	6	1	2,88	40,00	20	57,60	820
48"x48"	6	2	2,88	41,00	24	69,12	1004
32"x72"	10	2	2,88	67,00	20	57,60	1.360
32"x32"	10	2	1,28	30,00	40	51,20	1.220
16"x32"	10	3	0,96	22,00	56	53,76	1.252
8"x32"	10	6	0,96	21,50	48	46,08	1.052
24"x48"	10	2	1,44	33,50	30	43,20	1.020
24"x24"	10	3	1,08	25,00	40	43,20	1.020
8"x48"	10	6	1,44	31,00	24	34,56	764
12"x12" - mosaico	10	10	0,90	18,00	30	27,00	560
12"x12" - muro 3D	-	4	0,34	8,00	54	18,36	452
8"x16" - stick mix	-	5	0,42	8,00	42	17,64	356
12"x48" - sunset 3D	-	2	0,70	16,00	20	14,00	340
16"x48"	20	2	0,96	44,50	24	23,04	1.088
8"x48"	20	2	0,48	21,00	48	23,04	1.028
24"x24"	20	2	0,72	32,60	30	21,60	978
32"x32"	20	2	1,28	58,50	24	30,72	1.424
32"x72"	20	1	1,44	67	20	28,80	1.360

TALCO	Thickness	Pezzi per scatola	M² per scatola	Kg per scatola	Scatole per pallet	M² per pallet	KG per pallet
48"x96"	6	1	2,88	40,00	20	57,60	820
48"x48"	6	2	2,88	42,00	24	69,12	1.028
24"x48"	10	2	1,44	33,00	30	43,20	1.010
24"x48" linee/degradé/rombi	10	2	1,44	32,00	-	-	-
12"x48"	10	3	1,08	24,80	40	43,20	1.012
12"x12" - mosaico	10	10	0,90	17,50	30	27,00	560
6"x48" tessere 0,8"x48"	10	4	0,18	14,50	-	-	-


TECHNICAL CHARACTERISTICS

STANDARS	CHARACTERISTICS OR PROPERTIES	COMPLIANCE WITH STANDARDS UNI EN 14411 G	
ISO 10545-2	Thickness	10 mm	Complies with standard
	Length and width	+/- 0,5 %	Complies with standard
ISO 10545-3	Water absorption	E < = 0,04 %	Complies with standard
ISO 10545-4	Bending strength	-	53 N/mm²
ISO 10545-6	Resistance to deep abrasion	<128 mm³	Complies with standard
ISO 10545-8	Coefficient of linear thermal expansion		α=7x10 ⁻⁶ /°C ⁻¹
ISO 10545-9	Thermal shock resistance	Requested	Complies with standard
ISO 10545-12	Frost resistance	Requested	Complies with standard
ISO 10545-13	Chemical resistance	-	UA ULA UHA
ISO 10545-14	Resistance to stain	-	Classe 5
EN 13501 - 1	Fire resistance	-	Classe A1 - A1 FL
DIN 51130	Slip resistance	-	R10 naturale R11 grip
DIN 51097	Slip resistance	-	A naturale C grip
B.C.R.A. C.A. B.C.R.A. G.B. D.M. 236 del 4.6.1989	Slip resistance	Tortus Test	60 DRY / 40 WET cenere - cemento naturale 58 DRY / 30 WET sandalo naturale 66 DRY / 60 WET grip (tutti i colori)
ASTM C 1028/07	Slip resistance	-	0,88 DRY / 0,66 WET naturale 0,76 DRY / 0,62 WET grip
ENV 12633 BPN	Pendolum	-	NATURALE: Pendolum con pattino 4S: 60 DRY / 40 WET Pendolum con pattino TRL: 60 DRY / 40 WET GRIP: Pendolum con pattino 4S: 68 DRY / 60 WET Pendolum con pattino TRL: 87 DRY / 52 WET
DIN 51094	Colour stability on exposure to light and UV rays	-	Complies with standard, no variation

SHADE VARIATION



TALCO



HINTEX

Exclusively on

www.hintex.com/kronos



www.hintex.com

+1 (844) 404-0440 | info@hintex.com

